

FIG. 1A





FIG. 1B






FIG. 2







FIG. 3




FIG. 4

SERIES A



SERIES B



SERIES C




SERIES D




FIG. 5


SERIES A



SERIES B



SERIES C



SERIES D






FIG. 6


SERIES A



SERIES B



SERIES C



SERIES D




FIG. 7




FIG. 8




FIG. 9







FIG. 10




SERIES A $D2m(h)$



SERIES B $D2m(h)$



SERIES C $D2m(h)$



SERIES D $D2m(h)$

FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 18







FIG. 17




FIG. 19

FIG. 20A

CYL	SPH
-2.00	-0.00
-1.75	-0.25
-1.50	-0.50
-1.25	-0.75
-1.00	-1.00
-0.75	-1.25
-0.50	-1.50
-0.25	-1.75
-0.00	-2.00
	-2.25
	-2.50
	-2.75
	-3.00
	-3.25
	-3.50
	-3.75
	-4.00
	-4.25
	-4.50
	-4.75
	-5.00
	-5.25
	-5.50
	-5.75
	-6.00
	-6.25
	-6.50
	-6.75
	-7.00
	-7.25
	-7.50
	-7.75
	-8.00

FIG. 20B

CYL	SPH
+0.00	+0.00
+0.25	+0.25
+0.50	+0.50
+0.75	+0.75
+1.00	+1.00
+1.25	+1.25
+1.50	+1.50
+1.75	+1.75
+2.00	+2.00
+2.25	+2.25
+2.50	+2.50
+2.75	+2.75
+3.00	+3.00
+3.25	+3.25
+3.50	+3.50
+3.75	+3.75
+4.00	+4.00
+4.25	+4.25
+4.50	+4.50
+4.75	+4.75
+5.00	+5.00

FIG. 20C

CYL	SPH
+0.25	+0.25
+0.50	+0.50
+0.75	+0.75
+1.00	+1.00
+1.25	+1.25
+1.50	+1.50
+1.75	+1.75
+2.00	+2.00




FIG. 21






FIG. 22




FIG. 23

SERIES A



SERIES B




SERIES C




FIG. 24

SERIES A



SERIES B



SERIES C






FIG. 25

SERIES A



SERIES B



SERIES C




FIG. 26

FIG. 27A

SPH \ CYL	-2.00	-1.75	-1.50	-1.25	-1.00	-0.75	-0.50	-0.25	-0.00	CYL \ SPH
										-0.00
										-0.25
										-0.50
										-0.75
										-1.00
										-1.25
										-1.50
										-1.75
										-2.00
										-2.25
										-2.50
										-2.75
										-3.00
										-3.25
										-3.50
										-3.75
										-4.00
										-4.25
										-4.50
										-4.75
										-5.00
										-5.25
										-5.50
										-5.75
										-6.00
										-6.25
										-6.50
										-6.75
										-7.00
										-7.25
										-7.50
										-7.75
										-8.00

FIG. 27B

SPH \ CYL	10.00	10.25	10.50	10.75	11.00	11.25	11.50	11.75	12.00
+0.00									
+0.25									
+0.50									
+0.75									
+1.00									
+1.25									
+1.50									
+1.75									
+2.00									
+2.25									
+2.50									
+2.75									
+3.00									
+3.25									
+3.50									
+3.75									
+4.00									
+4.25									
+4.50									
+4.75									
+5.00									

FIG. 27C

SPH \ CYL	-0.50	-0.75	-1.00	-1.25	-1.50	-1.75	-2.00
+0.25							
+0.50							
+0.75							
+1.00							
+1.25							
+1.50							
+1.75							
+2.00							




FIG. 28